

Cumberland Agricultural Society - Generic Risk Assessment

This is a Generic Risk Assessment provided by the Society to assist Trade Exhibitors to comply with their duty to provide a Risk Assessment for attendance at the Cumberland Show.

Assessment Date:	Activity Covered:	Assessed by (name):	Position in Company:	Name of Company:
-------------------------	--------------------------	----------------------------	-----------------------------	-------------------------

- Hazard Severity Rating A**
1. Negligible – remote possibility of injury
 2. Marginal – slight / minor injury
 3. Slightly Dangerous – some injury – not serious
 4. Dangerous – serious injury
 5. Very Dangerous – fatal or widespread injury

- Hazard Probability Rating B**
1. Improbable – highly unlikely to happen
 2. Remote – may occur but rarely
 3. Possible – may occur on occasions
 4. Probable – likely to occur
 5. Very Probable – likely to occur frequently

Please Review the Activity Chart below in relation to these Ratings and Alter if Necessary

HAZARD	WHO	EXISTING CONTROL	RATING A	RATING B	RISK (AxB)	ACTION REQUIRED
Setting up Stand - unloading	All	Adequate number of people to help	2	2	4	Ensure adequate number of staff on site
Lifting equipment/stock etc.	All	LOLER manual handling regs 1998	4	2	8	Training of staff. Not working alone
Working at height	All	Guidance notes	3	2	6	Proper equipment. Not working alone
Slipping / Tripping	All	Keep site tidy	2	3	6	Check guy ropes, loose cables, uneven surfaces, wet / slippery surfaces.
Stock chemicals & substances	All	COSHH	2	2	4	No hazardous materials. Empty & clean display containers. Encourage hand washing. Clean up spills
Smoke & Fumes	All	No running engines or excessive smoke	3	1	3	No engines running on site. No smoke from cooking equipment. Consider other people.
Noise	All	Keep noise to minimum	1	1	1	No loud music or PA systems on site. Consider other people.
Machinery	All	Adequate servicing and maintenance of all equipment. All guards in place.	4	3	12	Consider fencing off any operating machinery. Consider additional measures for hydraulic machinery and hot cooking equipment.
LPG	All	CS4 & C of P 7	5	1	5	Ensure safe storage. Minimum quantity only on site.
General Fire Risks	All	Fire Safety Regs 2005	4	2	8	Adequate fire extinguishing appliances on site. Clear escape routes from site.
Food and refreshments	All	Environmental Health regulations. Covering, storage, preparation and serving of food & drinks	4	2	8	Adequate storage and preparation facilities. Adequate washing facilities. General cleanliness.
Cash handling	Staff		4	1	4	Good security arrangements for cash.

On the reverse, please insert any additional hazards and assessments, including COVID-19 Precautions using the rating chart.

Any risks with an overall rating of 8 or higher will have particular attention paid to its operation on the Showfield and full supervision.

Signed:	Name (please print):	Date:
----------------	-----------------------------	--------------

